








Nature Walk: PLANTS







May 2, 2015





Led by **Darwin Richardson** and **Beau Tindall** (CCBER)

*Common and Latin names confirmed by Darwin Richardson




| | |
|--|--|
| <p>*California bulrush, "tule" (<i>Schoenoplectus californicus</i>) [bridge]</p> |  |
| <p>*Coastal bush lupine (<i>Lupinus arboreus</i>) [Phase 2]</p> |  |
| <p>*California saltbush (<i>Atriplex californica</i>) [Phase 2]</p> |  |
| <p>*Clustered tarweed (<i>Deinandra fasciculata</i>) [Phase 2]</p> |  |







| | |
|--|--|
| <p>*California fuchsia (<i>Epilobium canum</i>) [Phase 2]</p> | |
| <p>*Chia (<i>Salvia columbariae</i>) [Phase 2]</p> |  |
| <p>*Purple needlegrass (<i>Stipa pulchra</i>) (formerly <i>Nassella pulchra</i>) [Phase 2]</p> |  |
| <p>*Meadow barley (<i>Hordeum brachyantherum</i>) (diploid) [Phase 2]</p> |  |



| | |
|--|--|
| <p>*Sagebrush (<i>Artemisia californica</i>) [Phase 2]</p> |  |
| <p>*Deergrass (<i>Muhlenbergia rigens</i>) [Phase 2]</p> |  |
| <p>*Toad rush (<i>Juncus bufonius</i>) [Phase 2, vernal pool near swimming pool]</p> |  |
| <p>*Lanceleaf liveforever (<i>Dudleya lanceolata</i>) (native succulent) [Phase 2]</p> |  |
| <p>*Italian rye-grass (<i>Lolium multiflorum</i>) (zipper-like) [path near bridge, non-native]</p> |  |
| <p>*Poison hemlock (<i>Conium maculatum</i>) [non-native]</p> |  |

| | |
|--|--|
| <p>*Fennel (<i>Foeniculum vulgare</i>) [non-native]</p> |  |
| <p>*Wild radish (<i>Raphanus sativa</i>) [non-native]</p> |  |
| <p>Wild radish (<i>Raphanus sativa</i>) [non-native, white or purple]</p> |  |
| <p>*Stone pine (<i>Pinus pinea</i>) [non-native]</p> |  |
| <p>*Pickleweed (<i>Salicornia pacifica</i>) (formerly <i>Salicornia virginica</i>)</p> | |
| <p>*Spanish clover (<i>Lotus purshianus</i>)</p> | |

| | | | |
|--|--|--|--|
| <p>*Coyote brush (<i>Baccharis pilularis</i>) (often has spittlebugs (<i>Aphrophora</i> spp.))</p> | |  | |
| <p>*Common wild oat (<i>Avena fatua</i>)</p> | |  | |
| <p>*Golden yarrow (<i>Eriophyllum confertiflorum</i>)</p> | |  | |
| <p>*Purple sage (<i>Salvia leucophylla</i>)</p> | |  | |

| | |
|--|--|
| <p>*Dwarf checkerbloom (<i>Sidalcea malviflora</i>)</p> |  |
| <p>*Sand verbenas (<i>Abronia maritima</i> and <i>Abronia umbellata</i>)</p> | |
| <p>*Sea rocket (<i>Cakile maritima</i>) [beach dunes, non-native]</p> |  |
| <p>*Blue wild rye (<i>Elymus glaucus</i>)</p> | |
| <p>*Muhlenberg's centaury (<i>Zeltnera muehlenbergii</i>)</p> |  |

| | |
|---|--|
| <p>*Brown-headed rush (<i>Juncus phaeocephalus</i>)</p> |  |
| <p>*California everlasting (<i>Pseudognaphalium californicum</i>) (formerly <i>Gnaphalium californicum</i>)</p> |  |
| <p>*Great valley gumplant (<i>Grindelia camporum</i>)</p> |  |
| <p>Blue-eyed grass (<i>Sisyrinchium bellum</i>) [Phase 2]</p> |  |
| <p>Jimson weed (<i>Datura wrightii</i>) [Phase 2]</p> |  |
| <p>California poppy coastal form (<i>Eschscholzia californica maritime</i>)</p> |  |

| | | | |
|---|--|--|--|
| <p>Monkey flower (<i>Mimulus aurantiacus</i>)</p> | |  | |
| <p>*Giant wildrye (<i>Leymus condensatus</i>)</p> | |  | |